Contents:

Volume 142, Number 1, July 13, 1998

1 **The human homologue of Bub3 is required for kinetochore localization of Bub1 and a Mad3/Bub1-related protein kinase.**
S.S. Taylor, E. Ha, and F. McKeon

13 **Stabilization and localization of Xist RNA are controlled by separate mechanisms and are not sufficient for X inactivation.**
C.M. Clemson, J.C. Chow, C.J. Brown, and J.B. Lawrence

25 **PDMP blocks brefeldin A–induced retrograde membrane transport from Golgi to ER: Evidence for involvement of calcium homeostasis and dissociation from sphingolipid metabolism.**
J.W. Kok, T. Babia, C.M. Filipeanu, A. Nelemans, G. Egea, and D. Hoekstra

39 **Assembly of the yeast vacuolar H^+-ATPase occurs in the endoplasmic reticulum and requires a Vma12p/Vma22p assembly complex.**
L.A. Graham, K.J. Hill, and T.H. Stevens

51 **Mutations in the middle of the transmembrane domain reverse the polarity of transport of the influenza virus hemagglutinin in MDCK epithelial cells.**
S. Lin, H.Y. Naim, A.C. Rodriguez, and M.G. Roth

59 **The LDL receptor clustering motif interacts with the clathrin terminal domain in a reverse turn conformation.**
R.G. Kibbey, J. Rizo, L.M. Gierasch, and R.G.W. Anderson

69 **Distribution of a glycosylphosphatidylinositol-anchored protein at the apical surface of MDCK cells examined at a resolution of <100 Å using imaging fluorescence resonance energy transfer.**
A.K. Kenworthy and M. Edidin

85 **Effects of regulated expression of mutant RhoA and Rac1 small GTPases on the development of epithelial (MDCK) cell polarity.**
T.-S. Jou and W.J. Nelson

101 **Structural and functional regulation of tight junctions by RhoA and Rac1 small GTPases.**
T.-S. Jou, E.E. Schneeberger, and W.J. Nelson

117 **Junctional adhesion molecule, a novel member of the immunoglobulin superfamily that distributes at intercellular junctions and modulates monocyte transmigration.**
I. Martìn-Padura, S. Lostaglio, M. Schneemann, L. Williams, M. Romano, P. Fruscella, C. Panzeri, A. Stoppacciaro, L. Ruco, A. Villa, D. Simmons, and E. Dejana

129 **Human CASK/LIN-2 binds syndecan-2 and protein 4.1 and localizes to the basolateral membrane of epithelial cells.**
A.R. Cohen, D.F. Woods, S.M. Marfatia, Z. Walther, A.H. Chishti, and J.M. Anderson

139 **Direct interaction of CASK/LIN-2 and syndecan heparan sulfate proteoglycan and their overlapping distribution in neuronal synapses.**
Y.-P. Hsueh, F.-C. Yang, V. Kharazia, S. Naisbitt, A.R. Cohen, R.J. Weinberg, and M. Sheng

153 **Functional specialization of stable and dynamic microtubules in protein traffic in WIF-B cells.**
C. Poüs, K. Chabin, A. Drechou, L. Barbot, T. Phung-Koskas, C. Settegrana, M.L. Bourguet-Kondracki, M. Maurice, D. Cassio, M. Guyot, and G. Durand

167 **STOP proteins are responsible for the high degree of microtubule stabilization observed in neuronal cells.**
L. Guillaud, C. Bosc, A. Fourest-Lieuvin, E. Denarier, F. Pirollet, L. Lafanechère, and D. Job

181 **Targeting, capture, and stabilization of microtubules at early focal adhesions.**
I. Kaverina, K. Rottner, and J.V. Small

191 **Unique responses of differentiating neuronal growth cones to inhibitory cues presented by oligodendrocytes.**
A. Shibata, M.V. Wright, S. David, L. McKerracher, P.E. Braun, and S.B. Kater

203 **Involvement of receptor-like protein tyrosine phosphatase ζ/RPTPβ and its ligand pleiotrophin/heparin-binding growth-associated molecule (HB-GAM) in neuronal migration.**
N. Maeda and M. Noda

217 **Regulation of angiotensin II–induced neuromodulation by MARCKS in brain neurons.**
D. Lu, H. Yang, R.H. Lenox, and M.K. Raizada

229 **Dual actions of sphingosine-1-phosphate: Extracellular through the G_i-coupled receptor Edg-1 and intracellular to regulate proliferation and survival.**
J.R. Van Brocklyn, M.-J. Lee, R. Menzeleev, A. Olivera, L. Edsall, O. Cuvillier, D.M. Thomas, P.J.P. Coopman, S. Thangada, C.H. Liu, T. Hla, and S. Spiegel

241 **The FGF receptor–1 tyrosine kinase domain regulates myogenesis but is not sufficient to stimulate proliferation.**
A.J. Kudla, N.C. Jones, R.S. Rosenthal, K. Arthur, K.L. Clase, and B.B. Olwin

251 **Structural requirements for outside-in and inside-out signaling by *Drosophila* neuroglian, a member of the L1 family of cell adhesion molecules.**
M. Hortsch, D. Homer, J.D. Malhotra, S. Chang, J. Frankel, G. Jefford, and R.R. Dubreuil

263 **Dimerization of P-selectin glycoprotein ligand-1 (PSGL-1) required for optimal recognition of P-selectin.**
K.R. Snapp, R. Craig, M. Herron, R.D. Nelson, L.M. Stoolman, and G.S. Kansas

271 **Hemidesmosome formation is initiated by the β4 integrin subunit, requires complex formation of β4 and HD1/plectin, and involves a direct interaction between β4 and the bullous pemphigoid antigen 180.**
R.Q.J. Schaapveld, L. Borradori, D. Geerts, M.R. van Leusden, I. Kuikman, M.G. Nievers, C.M. Niessen, R.D.M. Steenbergen, P.J.F. Snijders, and A. Sonnenberg

285 **Cartilage fibrils of mammals are biochemically heterogeneous: Differential distribution of decorin and collagen IX.**
R. Hagg, P. Bruckner, and E. Hedbom

295 **Differential roles for bone morphogenetic protein (BMP) receptor type IB and IA in differentiation and specification of mesenchymal precursor cells to osteoblast and adipocyte lineages.**
D. Chen, X. Ji, M.A. Harris, J.Q. Feng, G. Karsenty, A.J. Celeste, V. Rosen, G.R. Mundy, and S.E. Harris

Volume 142, Number 2, July 27, 1998

307 **Distinct cytoplasmic and nuclear fractions of *Drosophila* heterochromatin protein 1: Their phosphorylation levels and associations with origin recognition complex proteins.**
D.W. Huang, L. Fanti, D.T.S. Pak, M.R. Botchan, S. Pimpinelli, and R. Kellum

319 **Nopp140 functions as a molecular link between the nucleolus and the coiled bodies.**
C. Isaac, Y. Yang, and U.T. Meier

331 **The synaptonemal complex protein SCP3 can form multistranded, cross-striated fibers in vivo.**
L. Yuan, J. Pelttari, E. Brundell, B. Björkroth, J. Zhao, J.-G. Liu, H. Brismar, B. Daneholt, and C. Höög

341 **A functional GTPase domain, but not its transmembrane domain, is required for function of the SRP receptor β-subunit.**
S.C. Ogg, W.P. Barz, and P. Walter

355 **Signal sequence recognition in cotranslational translocation by protein components of the endoplasmic reticulum membrane.**
W. Mothes, B. Jungnickel, J. Brunner, and T.A. Rapoport

365 **Dislocation of type I membrane proteins from the ER to the cytosol is sensitive to changes in redox potential.**
D. Tortorella, C.M. Story, J.B. Huppa, E.J.H.J. Wiertz, T.R. Jones, and H.L. Ploegh

377 **Mistargeting of the lectin ERGIC-53 to the endoplasmic reticulum of HeLa cells impairs the secretion of a lysosomal enzyme.**
F. Vollenweider, F. Kappeler, C. Itin, and H.-P. Hauri

391 **ADP-Ribosylation factor 1 (ARF1) regulates recruitment of the AP-3 adaptor complex to membranes.**
C.E. Ooi, E.C. Dell'Angelica, and J.S. Bonifacino

403 **Pex20p of the yeast *Yarrowia lipolytica* is required for the oligomerization of thiolase in the cytosol and for its targeting to the peroxisome.**
V.I. Titorenko, J.J. Smith, R.K. Szilard, and R.A. Rachubinski

421 **The cytosolic DnaJ-like protein Djp1p is involved specifically in peroxisomal protein import.**
E.H. Hettema, C.C.M. Ruigrok, M.G. Koerkamp, M. van den Berg, H.F. Tabak, B. Distel, and I. Braakman

435 **Translation of the chloroplast *psbA* mRNA requires the nuclear-encoded poly(A)-binding protein, RB47.**
C.B. Yohn, A. Cohen, C. Rosch, M.R. Kuchka, and S.P. Mayfield

443 **Iqg1p, a yeast homologue of the mammalian IQGAPs, mediates Cdc42p effects on the actin cytoskeleton.**
M.A. Osman and R.A. Cerione

457 **Regulation of cell polarity by microtubules in fission yeast.**
K.E. Sawin and P. Nurse

473 **Cyclic nucleotide-gated channels on the flagellum control Ca^{2+} entry into sperm.**
B. Wiesner, J. Weiner, R. Middendorff, V. Hagen, U.B. Kaupp, and I. Weyand

485 **Adducin is an in vivo substrate for protein kinase C: Phosphorylation in the MARCKS-related domain inhibits activity in promoting spectrin–actin complexes and occurs in many cells, including dendritic spines of neurons.**
Y. Matsuoka, X. Li, and V. Bennett

499 **Bassoon, a novel zinc-finger CAG/Glutamine-repeat protein selectively localized at the active zone of presynaptic nerve terminals.**
S. tom Dieck, L. Sanmartí-Vila, K. Langnaese, K. Richter, S. Kindler, A. Soyke, H. Wex, K.-H. Smalla, U. Kämpf, J.-T. Fränzer, M. Stumm, C.C. Garner, and E.D. Gundelfinger

511 **A-kinase anchoring protein 100 (AKAP100) is localized in multiple subcellular compartments in the adult rat heart.**
J. Yang, J.A. Drazba, D.G. Ferguson, and M. Bond

523 **Stimulation of the p38 mitogen-activated protein kinase pathway in neonatal rat ventricular myocytes by the G protein–coupled receptor agonists, endothelin-1 and phenylephrine: A role in cardiac myocyte hypertrophy?**
A. Clerk, A. Michael, and P.H. Sugden

537 **Bcl-2 expression identifies an early stage of myogenesis and promotes clonal expansion of muscle cells.**
J.A. Dominov, J.J. Dunn, and J.B. Miller

545 **Coordination of an array of signaling proteins through homo- and heteromeric interactions between PDZ domains and target proteins.**
X.-Z.S. Xu, A. Choudhury, X. Li, and C. Montell

557 **E-Cadherin–dependent growth suppression is mediated by the cyclin-dependent kinase inhibitor $p27^{KIP1}$.**
B. St. Croix, C. Sheehan, J.W. Rak, V.A. Florenes, J.M. Slingerland, and R.S. Kerbel

573 **Integrin-mediated signals regulated by members of the Rho family of GTPases.**
E.A. Clark, W.G. King, J.S. Brugge, M. Symons, and R.O. Hynes

587 **Integrin $\alpha 1\beta 1$ mediates a unique collagen-dependent proliferation pathway in vivo.**
A. Pozzi, K.K. Wary, F.G. Giancotti, and H.A. Gardner

595 **A role for the $\alpha v\beta 3$ integrin in the transmigration of monocytes.**
D. Weerasinghe, K.P. McHugh, F.P. Ross, E.J. Brown, R.H. Gisler, and B.A. Imhof

Volume 142, Number 3, August 10, 1998

Mini-Review

609 **Spatial regulation of exocytosis: Lessons from yeast.**
F.P. Finger and P. Novick

Regular Articles

613 **The sorting of mitochondrial DNA and mitochondrial proteins in zygotes: Preferential transmission of mitochondrial DNA to the medial bud.**
K. Okamoto, P.S. Perlman, and R.A. Butow

625 **Growth factor–induced p42/p44 MAPK nuclear translocation and retention requires both MAPK activation and neosynthesis of nuclear anchoring proteins.**
P. Lenormand, J.-M. Brondello, A. Brunet, and J. Pouysségur

635 **Dual roles for Ste24p in yeast a-factor maturation: NH_2-terminal proteolysis and COOH-terminal CAAX processing.**
A. Tam, F.J. Nouvet, K. Fujimura-Kamada, H. Slunt, S.S. Sisodia, and S. Michaelis

651 **Retrograde traffic out of the yeast vacuole to the TGN occurs via the prevacuolar/endosomal compartment.**
N.J. Bryant, R.C. Piper, L.S. Weisman, and T.H. Stevens

665 **A membrane coat complex essential for endosome-to-Golgi retrograde transport in yeast.**
M.N.J. Seaman, J.M. McCaffery, and S.D. Emr

683 **(Glyco)sphingolipids are sorted in sub-apical compartments in HepG2 cells: A role for non-Golgi–related intracellular sites in the polarized distribution of (glyco)sphingolipids.**
S.C.D. van IJzendoorn and D. Hoekstra

697 **Apical polarity of N-CAM and EMMPRIN in retinal pigment epithelium resulting from suppression of basolateral signal recognition.**
A.D. Marmorstein, Y.C. Gan, V.L. Bonilha, S.C. Finnemann, K.G. Csaky, and E. Rodriguez-Boulan

711 **Mlc1p is a light chain for the unconventional myosin Myo2p in *Saccharomyces cerevisiae*.**
R.C. Stevens and T.N. Davis

723 **Regulation of the cortical actin cytoskeleton in budding yeast by twinfilin, a ubiquitous actin monomer-sequestering protein.**
B.L. Goode, D.G. Drubin, and P. Lappalainen

735 **Interaptin, an actin-binding protein of the α-actinin superfamily in *Dictyostelium discoideum*, is developmentally and cAMP-regulated and associates with intracellular membrane compartments.**
F. Rivero, A. Kuspa, R. Brokamp, M. Matzner, and A.A. Noegel

751 **Spindle self-organization and cytokinesis during male meiosis in *asterless* mutants of *Drosophila melanogaster*.**
S. Bonaccorsi, M.G. Giansanti, and M. Gatti

763 **ZW10 helps recruit dynactin and dynein to the kinetochore.**
D.A. Starr, B.C. Williams, T.S. Hays, and M.L. Goldberg

775 **Recruitment of the γ-tubulin ring complex to *Drosophila* salt-stripped centrosome scaffolds.**
M. Moritz, Y. Zheng, B.M. Alberts, and K. Oegema

787 **Mitotic centromere–associated kinesin is important for anaphase chromosome segregation.**
T. Maney, A.W. Hunter, M. Wagenbach, and L. Wordeman

803 **Regulation of organelle movement in melanophores by protein kinase A (PKA), protein kinase C (PKC), and protein phosphatase 2A (PP2A).**
A.R. Reilein, I.S. Tint, N.I. Peunova, G.N. Enikolopov, and V.I. Gelfand

815 **Overexpression of a neural-specific Rho family GTPase, cRac1B, selectively induces enhanced neuritogenesis and neurite branching in primary neurons.**
C. Albertinazzi, D. Gilardelli, S. Paris, R. Longhi, and I. de Curtis

827 **Microphthalmia gene product as a signal transducer in cAMP-induced differentiation of melanocytes.**
C. Bertolotto, P. Abbe, T.J. Hemesath, K. Bille, D.E. Fisher, J.-P. Ortonne, and R. Ballotti

837 **Adhesive but not lateral E-cadherin complexes require calcium and catenins for their formation.**
N.A. Chitaev and S.M. Troyanovsky

847 **α-Catenin-vinculin interaction functions to organize the apical junctional complex in epithelial cells.**
M. Watabe-Uchida, N. Uchida, Y. Imamura, A. Nagafuchi, K. Fujimoto, T. Uemura, S. Vermeulen, F. van Roy, E.D. Adamson, and M. Takeichi

859 **Interactions of the cytoplasmic domain of P-selectin with clathrin-coated pits enhance leukocyte adhesion under flow.**
H. Setiadi, G. Sedgewick, S.L. Erlandsen, and R.P. McEver

873 **The fibronectin domain ED-A is crucial for myofibroblastic phenotype induction by transforming growth factor-β1.**
G. Serini, M.-L. Bochaton-Piallat, P. Ropraz, A. Geinoz, L. Borsi, L. Zardi, and G. Gabbiani

883 ADDITIONS AND CORRECTIONS

885 ADDITIONS AND CORRECTIONS

Volume 142, Number 4, August 24, 1998

887 **The human polycomb group complex associates with pericentromeric heterochromatin to form a novel nuclear domain.**
A.J. Saurin, C. Shiels, J. Williamson, D.P.E. Satijn, A.P. Otte, D. Sheer, and P.S. Freemont

899 **Microinjection of anti-coilin antibodies affects the structure of coiled bodies.**
F. Almeida, R. Saffrich, W. Ansorge, and M. Carmo-Fonseca

913 **Acidic di-leucine motif essential for AP-3–dependent sorting and restriction of the functional specificity of the Vam3p vacuolar t-SNARE.**
T. Darsow, C.G. Burd, and S.D. Emr

923 **An endocytosed TGN38 chimeric protein is delivered to the TGN after trafficking through the endocytic recycling compartment in CHO cells.**
R.N. Ghosh, W.G. Mallet, T.T. Soe, T.E. McGraw, and F.R. Maxfield

937 **Annexin VI-mediated loss of spectrin during coated pit budding is coupled to delivery of LDL to lysosomes.**
A. Kamal, Y.-s. Ying, and R.G.W. Anderson

949 **A large PEST-like sequence directs the ubiquitination, endocytosis, and vacuolar degradation of the yeast a-factor receptor.**
A.F. Roth, D.M. Sullivan, and N.G. Davis

963 **Differential modulation of SERCA2 isoforms by calreticulin.**
L.M. John, J.D. Lechleiter, and P. Camacho

975 **Transient mitochondrial depolarizations reflect focal sarcoplasmic reticular calcium release in single rat cardiomyocytes.**
M.R. Duchen, A. Leyssens, and M. Crompton

989 **Regulation mechanism of the lateral diffusion of band 3 in erythrocyte membranes by the membrane skeleton.**
M. Tomishige, Y. Sako, and A. Kusumi

1001 **Mechanism of Cdc42-induced actin polymerization in neutrophil extracts.**
S.H. Zigmond, M. Joyce, C. Yang, K. Brown, M. Huang, and M. Pring

1013 **Entry into mitosis in vertebrate somatic cells is guarded by a chromosome damage checkpoint that reverses the cell cycle when triggered during early but not late prophase.**
C.L. Rieder and R.W. Cole

1023 **Characterization of the p22 subunit of dynactin reveals the localization of cytoplasmic dynein and dynactin to the midbody of dividing cells.**
S. Karki, B. LaMonte, and E.L.F. Holzbaur

1035 **Directed expression of keratin 16 to the progenitor basal cells of transgenic mouse skin delays skin maturation.**
R.D. Paladini and P.A. Coulombe

1053 **The Ras target AF-6 is a substrate of the Fam deubiquitinating enzyme.**
S. Taya, T. Yamamoto, K. Kano, Y. Kawano, A. Iwamatsu, T. Tsuchiya, K. Tanaka, M. Kanai-Azuma, S.A. Wood, J.S. Mattick, and K. Kaibuchi

1063 **Involvement of phospholipase Cγ1 in mouse egg activation induced by a truncated form of the C-kit tyrosine kinase present in spermatozoa.**
C. Sette, A. Bevilacqua, R. Geremia, and P. Rossi

1075 **The transcriptional corepressor NAB2 inhibits NGF-induced differentiation of PC12 cells.**
Z. Qu, L.A. Wolfraim, J. Svaren, M.U. Ehrengruber, N. Davidson, and J. Milbrandt

1083 **Dissection of complex molecular interactions of neurofascin with axonin-1, F11, and tenascin-R, which promote attachment and neurite formation of tectal cells.**
H. Volkmer, U. Zacharias, U. Nörenberg, and F.G. Rathjen

1095 **Functional gap junctions in the Schwann cell myelin sheath.**
R.J. Balice-Gordon, L.J. Bone, and S.S. Scherer

1105 **Mechanisms of epithelial cell–cell adhesion and cell compaction revealed by high-resolution tracking of E-cadherin–green fluorescent protein.**
C.L. Adams, Y.-T. Chen, S.J Smith, and W.J. Nelson

1121 **Disruption of the talin gene compromises focal adhesion assembly in undifferentiated but not differentiated embryonic stem cells.**
H. Priddle, L. Hemmings, S. Monkley, A. Woods, B. Patel, D. Sutton, G.A. Dunn, D. Zicha, and D.R. Critchley

1135 **Plasma transglutaminase in hypertrophic chondrocytes: Expression and cell-specific intracellular activation produce cell death and externalization.**
M. Nurminskaya, C. Magee, D. Nurminsky, and T.F. Linsenmayer

1145 **Growth factor–dependent activation of αvβ3 integrin in normal epithelial cells: Implications for tumor invasion.**
L. Trusolino, G. Serini, G. Cecchini, C. Besati, F.S. Ambesi-Impiombato, P.C. Marchisio, and R. De Filippi

1157 ADDITIONS AND CORRECTIONS

Volume 142, Number 5, September 7, 1998

1159 **Dynamics of the genome during early *Xenopus laevis* development: Karyomeres as independent units of replication.**
J.-M. Lemaitre, G. Geraud, and M. Mechali

1167 **Presence of pre-rRNAs before activation of polymerase I transcription in the building process of nucleoli during early development of *Xenopus laevis*.**
C. Verheggen, S. Le Panse, G. Almouzni, and D. Hernandez-Verdun

1181 **The hrp23 protein in the Balbiani ring pre-mRNP particles is released just before or at the binding of the particles to the nuclear pore complex.**
X. Sun, A.T. Alzhanova-Ericsson, N. Visa, Y. Aissouni, J. Zhao, and B. Daneholt

1195 ***Nup154*, a new *Drosophila* gene essential for male and female gametogenesis is related to the *Nup155* vertebrate nucleoporin gene.**
S. Gigliotti, G. Callaini, S. Andone, M.G. Riparbelli, R. Pernas-Alonso, G. Hoffmann, F. Graziani, and C. Malva

1209 **Transport of Axl2p depends on Erv14p, an ER–vesicle protein related to the *Drosophila cornichon* gene product.**
J. Powers and C. Barlowe

1223 **Degradation of misfolded endoplasmic reticulum glycoproteins in *Saccharomyces cerevisiae* is determined by a specific oligosaccharide structure.**
C.A. Jakob, P. Burda, J. Roth, and M. Aebi

1235 **Ca^{2+} homeostasis in the agonist-sensitive internal store: Functional interactions between mitochondria and the ER measured in situ in intact cells.**
B. Landolfi, S. Curci, L. Debellis, T. Pozzan, and A.M. Hofer

1245 **The cytoplasmic tail of rhodopsin acts as a novel apical sorting signal in polarized MDCK cells.**
J.-Z. Chuang and C.-H. Sung

1257 **Development of approaches to improve cell survival in myoblast transfer therapy.**
Z. Qu, L. Balkir, J.C.T. van Deutekom, P.D. Robbins, R. Pruchnic, and J. Huard

1269 **Differential membrane localization and intermolecular associations of α-dystrobrevin isoforms in skeletal muscle.**
M.F. Peters, H.M. Sadoulet-Puccio, R.M Grady, N.R. Kramarcy, L.M. Kunkel, J.R. Sanes, R. Sealock, and S.C. Froehner

1279 **γ-Sarcoglycan deficiency leads to muscle membrane defects and apoptosis independent of dystrophin.**
A.A. Hack, C.T. Ly, F. Jiang, C.J. Clendenin, K.S. Sigrist, R.L. Wollmann, and E.M. McNally

1289 **The yeast V159N actin mutant reveals roles for actin dynamics in vivo.**
L.D. Belmont and D.G. Drubin

1301 **Involvement of an actomyosin contractile ring in *Saccharomyces cerevisiae* cytokinesis.**
E. Bi, P. Maddox, D.J. Lew, E.D. Salmon, J.N. McMillan, E. Yeh, and J.R. Pringle

1313 **Control of neuronal size homeostasis by trophic factor–mediated coupling of protein degradation to protein synthesis.**
J.L. Franklin and E.M. Johnson, Jr.

1325 **SCAR, a WASP-related protein, isolated as a suppressor of receptor defects in late *Dictyostelium* development.**
J.E. Bear, J.F. Rawls, and C.L. Saxe III

1337 **The RET–Glial cell-derived neurotrophic factor (GDNF) pathway stimulates migration and chemoattraction of epithelial cells.**
M.-J. Tang, D. Worley, M. Sanicola, and G.R. Dressler

1347 **Mode of action of interleukin-6 on mature osteoclasts. Novel interactions with extracellular Ca^{2+} sensing in the regulation of osteoclastic bone resorption.**
O.A. Adebanjo, B.S. Moonga, T. Yamate, L. Sun, C. Minkin, E. Abe, and M. Zaidi

1357 **Novel roles for α3β1 integrin as a regulator of cytoskeletal assembly and as a trans-dominant inhibitor of integrin receptor function in mouse keratinocytes.**
K.M. Hodivala-Dilke, C.M. DiPersio, J.A. Kreidberg, and R.O. Hynes

1371 **ZAP-70 tyrosine kinase is required for LFA-1–dependent T cell migration.**
R.D.M. Soede, Y.M. Wijnands, I. Van Kouteren-Cobzaru, and E. Roos

1381 **Endothelial cell E- and P-selectin and vascular cell adhesion molecule-1 function as signaling receptors.**
P. Lorenzon, E. Vecile, E. Nardon, E. Ferrero, J.M. Harlan, F. Tedesco, and A. Dobrina

1393 ADDITIONS AND CORRECTIONS

Volume 142, Number 6, September 21, 1998

In Brief

Flexible SMC proteins; sorting by a phosphatase; MAP kinase at the kinetochore.
W.A. Wells

Mini-Review

1395 **The heterogeneity of ER Ca^{2+} stores has a key role in nonmuscle cell signaling and function.**
J. Meldolesi and T. Pozzan

Regular Articles

1399 **Regulation of endosome sorting by a specific PP2A isoform.**
S.S. Molloy, L. Thomas, C. Kamibayashi, M.C. Mumby, and G. Thomas

1413 **Annexin XIIIb associates with lipid microdomains to function in apical delivery.**
F. Lafont, S. Lecat, P. Verkade, and K. Simons

1429 **Analysis of GLUT4 distribution in whole skeletal muscle fibers: Identification of distinct storage compartments that are recruited by insulin and muscle contractions.**
T. Ploug, B. van Deurs, H. Ai, S.W. Cushman, and E. Ralston

1447 **The muscle regulatory factors MyoD and Myf-5 undergo distinct cell cycle–specific expression in muscle cells.**
M. Kitzmann, G. Carnac, M. Vandromme, M. Primig, N.J.C. Lamb, and A. Fernandez

1461 **Progressive muscular dystrophy in α-sarcoglycan–deficient mice.**

F. Duclos, V. Straub, S.A. Moore, D.P. Venzke, R.F. Hrstka, R.H. Crosbie, M. Durbeej, C.S. Lebakken, A.J. Ettinger, J. van der Meulen, K.H. Holt, L.E. Lim, J.R. Sanes, B.L. Davidson, J.A. Faulkner, R. Williamson, and K.P. Campbell

1473 **A role for a protease in morphogenic responses during yeast cell fusion.**

L. Elia and L. Marsh

1487 **A morphogenesis checkpoint monitors the actin cytoskeleton in yeast.**

J.N. McMillan, R.A.L. Sia, and D.J. Lew

1501 **Assembly and function of the actin cytoskeleton of yeast: Relationships between cables and patches.**

T.S. Karpova, J.G. McNally, S.L. Moltz, and J.A. Cooper

1519 **Stepwise reconstitution of interphase microtubule dynamics in permeabilized cells and comparison to dynamic mechanisms in intact cells.**

Y. Saoudi, R. Fotedar, A. Abrieu, M. Dorée, J. Wehland, R.L. Margolis, and D. Job

1533 **Activation of the MKK/ERK pathway during somatic cell mitosis: Direct interactions of active ERK with kinetochores and regulation of the mitotic 3F3/2 phosphoantigen.**

P.S. Shapiro, E. Vaisberg, A.J. Hunt, N.S. Tolwinski, A.M. Whalen, J.R. McIntosh, and N.G. Ahn

1547 **Active MAP kinase in mitosis: Localization at kinetochores and association with the motor protein CENP-E.**

M. Zecevic, A.D. Catling, S.T. Eblen, L. Renzi, J.C. Hittle, T.J. Yen, G.J. Gorbsky, and M.J. Weber

1559 **The *Xenopus* Chk1 protein kinase mediates a caffeine-sensitive pathway of checkpoint control in cell-free extracts.**

A. Kumagai, Z. Guo, K.H. Emami, S.X. Wang, and W.G. Dunphy

1571 **Restriction of 480/270-kD ankyrin$_G$ to axon proximal segments requires multiple ankyrin$_G$-specific domains.**

X. Zhang and V. Bennett

1583 **Blocking cytochrome c activity within intact neurons inhibits apoptosis.**

S.J. Neame, L.L. Rubin, and K.L. Philpott

1595 **The symmetrical structure of structural maintenance of chromosomes (SMC) and MukB proteins: Long, antiparallel coiled coils, folded at a flexible hinge.**

T.E. Melby, C.N. Ciampaglio, G. Briscoe, and H.P. Erickson.

1605 **The membrane-proximal region of the E-cadherin cytoplasmic domain prevents dimerization and negatively regulates adhesion activity.**

M. Ozawa and R. Kemler

1615 **AUTHOR INDEX FOR VOLUME 142**

1625 **SUBJECT INDEX FOR VOLUME 142**